

Report No.: HS1203280172B RA No :: 0101175-E

Version: A

ESD (HUMAN BODY MODE) TEST REPORT

Company : <u>RAIO Technology Inc.</u>

Model Name : RA0086A

Date Code : <u>1126-N</u>

Date Received : MAR 28, 2012

Date Tested : <u>MAR 30, 2012</u>

TESTING LABORATORY IS ACCREDITED BY:

IEC/IECQ 17025 certificate of independent test laboratory approval

IEC IECO (

Certificate No.: T1091

ISO 9001 certificate is approved by TUV CERT certification body of TUV NORD Cert GmbH

WE HEREBY CERTIFY THAT:

The test(s) shown in the attachment were conducted according to the indicating procedures. We assume full responsibility for the accuracy and completeness of these tests and vouch for the qualifications of all personnel performing them.

	Name	Signature	Date		
Test Engineer	Tina Lin	Tima In	Apr 02, 2012		
Manager	Even Lin	Tunka	Apr 02, 2012		

NOTE:

- 1. This report will be invalid if reproduced in whole or in part.
- 2. This report refers only to the specimen(s) submitted to test, and is invalid if used separately.
- 3. This report is ONLY valid with the examination seal and signature of this institute
- 4. The tested specimen(s) will only be preserved for thirty days from the date issue collected by the applicant.
- The failure criteria should be based on parametric and functional provided in this report is for reference only.



Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1203280172B
RA No. : 0101175-E
Page 1 of 12

TABLE OF CONTENTS

1. GENERAL INFORMATION	
1.1 DESCRIPTION OF UNIT	2
2. ESD (HUMAN BODY MODE) TEST	
2.1 TEST EQUIPMENT	3
2.2 LABORATORY AMBIENCE CONDITION	3
2.3 REFERENCE DOCUMENT	3
2.4 TEST CONDITION	3
2.5 SUMMARY OF TEST	3
2.6 CONTENTS OF TEST	4



Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1203280172B RA No. : 0101175-E Page 2 of 12

1. GENERAL INFORMATION

1.1 DESCRIPTION OF UNIT

MANUFACTURER : RAIO Technology Inc.

DEVICE NAME : RA0086A
DATE CODE : 1126-N

PACKAGE / PIN COUNT : LQFP-100


REFERENCE DOCUMENT : MIL-STD-883G Method 3015.7

TEST VOLTAGE : $3000V \sim 5000V(\pm)$, Step: $1000V(\pm)$

SAMPLE QUANTITY : 18 ea

FAILURE CRITERIA : FOR V CHANGE AT 1µA ±30%

¾ Failure Judgment: IV curve shift over 1µA±30% at forward point.



Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1203280172B RA No. : 0101175-E Page 3 of 12

2. ESD (HUMAN BODY MODE) TEST

2.1 TEST EQUIPMENT

Test Equipment	Equipment Number	Tester
KEYTEK ZAPMASTER	#2	06008

2.2 LABORATORY AMBIENCE CONDITION

Temperature: 25±5°C

Relative humidity: 55%±10% (RH)

2.3 REFERENCE DOCUMENT

The test method refers to MIL-STD-883G Method 3015.7

2.4 TEST CONDITION

ALL - VSS (+)

ALL - VSS (-)

ALL – VCC (+)

ALL – VCC (-)

VCC - VSS (+)

VCC - VSS (-)

2.5 SUMMARY OF TEST

Test Model : HBM	ESD Sensitivity	Passed : <u>±5000V</u>	MIL-STD Classification Class: <u>3A</u>
Test condition	Sample Quantity	Passed Volts	Class 0 : < 250V.
ALL – VSS (+)	3	+5000V	Class 1A : \geq 250V , $<$ 499V
ALL – VSS (-)	3	-5000V	Class 1B : ≥ 500V , <999V
ALL – VCC (+)	3	+5000V	Class 1C : ≥ 1000V , <1999V
ALL – VCC (-)	3	-5000V	Class 2 : ≥ 2000V , <3999V Class 3A : ≥ 4000V , <7999V
VCC – VSS (+)	3	+5000V	Class 3B : ≥ 8000V
VCC – VSS (-)	3	-5000V	

ALL:1-54,56-58,60-62,64,66-100

I/O:54,66-69,73

I/P:56-58,60-62,64,70-72

O/P:1-53,74-100 VCC:59,63

VSS:55,65

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1203280172B RA No. : 0101175-E

Page 4 of 12

2.6 CONTENTS OF TEST

			ALL – V	SS (+)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
1	PASS	PASS	PASS	25	PASS	PASS	PASS
2	PASS	PASS	PASS	26	PASS	PASS	PASS
3	PASS	PASS	PASS	27	PASS	PASS	PASS
4	PASS	PASS	PASS	28	PASS	PASS	PASS
5	PASS	PASS	PASS	29	PASS	PASS	PASS
6	PASS	PASS	PASS	30	PASS	PASS	PASS
7	PASS	PASS	PASS	31	PASS	PASS	PASS
8	PASS	PASS	PASS	32	PASS	PASS	PASS
9	PASS	PASS	PASS	33	PASS	PASS	PASS
10	PASS	PASS	PASS	34	PASS	PASS	PASS
11	PASS	PASS	PASS	35	PASS	PASS	PASS
12	PASS	PASS	PASS	36	PASS	PASS	PASS
13	PASS	PASS	PASS	37	PASS	PASS	PASS
14	PASS	PASS	PASS	38	PASS	PASS	PASS
15	PASS	PASS	PASS	39	PASS	PASS	PASS
16	PASS	PASS	PASS	40	PASS	PASS	PASS
17	PASS	PASS	PASS	41	PASS	PASS	PASS
18	PASS	PASS	PASS	42	PASS	PASS	PASS
19	PASS	PASS	PASS	43	PASS	PASS	PASS
20	PASS	PASS	PASS	44	PASS	PASS	PASS
21	PASS	PASS	PASS	45	PASS	PASS	PASS
22	PASS	PASS	PASS	46	PASS	PASS	PASS
23	PASS	PASS	PASS	47	PASS	PASS	PASS
24	PASS	PASS	PASS	48	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1203280172B
RA No. : 0101175-E
Page 5 of 12

			ALL – V	SS (+)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
49	PASS	PASS	PASS	77	PASS	PASS	PASS
50	PASS	PASS	PASS	78	PASS	PASS	PASS
51	PASS	PASS	PASS	79	PASS	PASS	PASS
52	PASS	PASS	PASS	80	PASS	PASS	PASS
53	PASS	PASS	PASS	81	PASS	PASS	PASS
54	PASS	PASS	PASS	82	PASS	PASS	PASS
56	PASS	PASS	PASS	83	PASS	PASS	PASS
57	PASS	PASS	PASS	84	PASS	PASS	PASS
58	PASS	PASS	PASS	85	PASS	PASS	PASS
60	PASS	PASS	PASS	86	PASS	PASS	PASS
61	PASS	PASS	PASS	87	PASS	PASS	PASS
62	PASS	PASS	PASS	88	PASS	PASS	PASS
64	PASS	PASS	PASS	89	PASS	PASS	PASS
66	PASS	PASS	PASS	90	PASS	PASS	PASS
67	PASS	PASS	PASS	91	PASS	PASS	PASS
68	PASS	PASS	PASS	92	PASS	PASS	PASS
69	PASS	PASS	PASS	93	PASS	PASS	PASS
70	PASS	PASS	PASS	94	PASS	PASS	PASS
71	PASS	PASS	PASS	95	PASS	PASS	PASS
72	PASS	PASS	PASS	96	PASS	PASS	PASS
73	PASS	PASS	PASS	97	PASS	PASS	PASS
74	PASS	PASS	PASS	98	PASS	PASS	PASS
75	PASS	PASS	PASS	99	PASS	PASS	PASS
76	PASS	PASS	PASS	100	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group
1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1203280172B
RA No. : 0101175-E
Page 6 of 12

			ALL – V	'SS (-)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
1	PASS	PASS	PASS	25	PASS	PASS	PASS
2	PASS	PASS	PASS	26	PASS	PASS	PASS
3	PASS	PASS	PASS	27	PASS	PASS	PASS
4	PASS	PASS	PASS	28	PASS	PASS	PASS
5	PASS	PASS	PASS	29	PASS	PASS	PASS
6	PASS	PASS	PASS	30	PASS	PASS	PASS
7	PASS	PASS	PASS	31	PASS	PASS	PASS
8	PASS	PASS	PASS	32	PASS	PASS	PASS
9	PASS	PASS	PASS	33	PASS	PASS	PASS
10	PASS	PASS	PASS	34	PASS	PASS	PASS
11	PASS	PASS	PASS	35	PASS	PASS	PASS
12	PASS	PASS	PASS	36	PASS	PASS	PASS
13	PASS	PASS	PASS	37	PASS	PASS	PASS
14	PASS	PASS	PASS	38	PASS	PASS	PASS
15	PASS	PASS	PASS	39	PASS	PASS	PASS
16	PASS	PASS	PASS	40	PASS	PASS	PASS
17	PASS	PASS	PASS	41	PASS	PASS	PASS
18	PASS	PASS	PASS	42	PASS	PASS	PASS
19	PASS	PASS	PASS	43	PASS	PASS	PASS
20	PASS	PASS	PASS	44	PASS	PASS	PASS
21	PASS	PASS	PASS	45	PASS	PASS	PASS
22	PASS	PASS	PASS	46	PASS	PASS	PASS
23	PASS	PASS	PASS	47	PASS	PASS	PASS
24	PASS	PASS	PASS	48	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1203280172B
RA No. : 0101175-E
Page 7 of 12

			ALL – V	'SS (-)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
49	PASS	PASS	PASS	77	PASS	PASS	PASS
50	PASS	PASS	PASS	78	PASS	PASS	PASS
51	PASS	PASS	PASS	79	PASS	PASS	PASS
52	PASS	PASS	PASS	80	PASS	PASS	PASS
53	PASS	PASS	PASS	81	PASS	PASS	PASS
54	PASS	PASS	PASS	82	PASS	PASS	PASS
56	PASS	PASS	PASS	83	PASS	PASS	PASS
57	PASS	PASS	PASS	84	PASS	PASS	PASS
58	PASS	PASS	PASS	85	PASS	PASS	PASS
60	PASS	PASS	PASS	86	PASS	PASS	PASS
61	PASS	PASS	PASS	87	PASS	PASS	PASS
62	PASS	PASS	PASS	88	PASS	PASS	PASS
64	PASS	PASS	PASS	89	PASS	PASS	PASS
66	PASS	PASS	PASS	90	PASS	PASS	PASS
67	PASS	PASS	PASS	91	PASS	PASS	PASS
68	PASS	PASS	PASS	92	PASS	PASS	PASS
69	PASS	PASS	PASS	93	PASS	PASS	PASS
70	PASS	PASS	PASS	94	PASS	PASS	PASS
71	PASS	PASS	PASS	95	PASS	PASS	PASS
72	PASS	PASS	PASS	96	PASS	PASS	PASS
73	PASS	PASS	PASS	97	PASS	PASS	PASS
74	PASS	PASS	PASS	98	PASS	PASS	PASS
75	PASS	PASS	PASS	99	PASS	PASS	PASS
76	PASS	PASS	PASS	100	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1203280172B RA No. : 0101175-E

Page 8 of 12

			ALL – V	CC (+)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
1	PASS	PASS	PASS	25	PASS	PASS	PASS
2	PASS	PASS	PASS	26	PASS	PASS	PASS
3	PASS	PASS	PASS	27	PASS	PASS	PASS
4	PASS	PASS	PASS	28	PASS	PASS	PASS
5	PASS	PASS	PASS	29	PASS	PASS	PASS
6	PASS	PASS	PASS	30	PASS	PASS	PASS
7	PASS	PASS	PASS	31	PASS	PASS	PASS
8	PASS	PASS	PASS	32	PASS	PASS	PASS
9	PASS	PASS	PASS	33	PASS	PASS	PASS
10	PASS	PASS	PASS	34	PASS	PASS	PASS
11	PASS	PASS	PASS	35	PASS	PASS	PASS
12	PASS	PASS	PASS	36	PASS	PASS	PASS
13	PASS	PASS	PASS	37	PASS	PASS	PASS
14	PASS	PASS	PASS	38	PASS	PASS	PASS
15	PASS	PASS	PASS	39	PASS	PASS	PASS
16	PASS	PASS	PASS	40	PASS	PASS	PASS
17	PASS	PASS	PASS	41	PASS	PASS	PASS
18	PASS	PASS	PASS	42	PASS	PASS	PASS
19	PASS	PASS	PASS	43	PASS	PASS	PASS
20	PASS	PASS	PASS	44	PASS	PASS	PASS
21	PASS	PASS	PASS	45	PASS	PASS	PASS
22	PASS	PASS	PASS	46	PASS	PASS	PASS
23	PASS	PASS	PASS	47	PASS	PASS	PASS
24	PASS	PASS	PASS	48	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group
1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1203280172B
RA No. : 0101175-E
Page 9 of 12

			ALL – V	CC (+)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
49	PASS	PASS	PASS	77	PASS	PASS	PASS
50	PASS	PASS	PASS	78	PASS	PASS	PASS
51	PASS	PASS	PASS	79	PASS	PASS	PASS
52	PASS	PASS	PASS	80	PASS	PASS	PASS
53	PASS	PASS	PASS	81	PASS	PASS	PASS
54	PASS	PASS	PASS	82	PASS	PASS	PASS
56	PASS	PASS	PASS	83	PASS	PASS	PASS
57	PASS	PASS	PASS	84	PASS	PASS	PASS
58	PASS	PASS	PASS	85	PASS	PASS	PASS
60	PASS	PASS	PASS	86	PASS	PASS	PASS
61	PASS	PASS	PASS	87	PASS	PASS	PASS
62	PASS	PASS	PASS	88	PASS	PASS	PASS
64	PASS	PASS	PASS	89	PASS	PASS	PASS
66	PASS	PASS	PASS	90	PASS	PASS	PASS
67	PASS	PASS	PASS	91	PASS	PASS	PASS
68	PASS	PASS	PASS	92	PASS	PASS	PASS
69	PASS	PASS	PASS	93	PASS	PASS	PASS
70	PASS	PASS	PASS	94	PASS	PASS	PASS
71	PASS	PASS	PASS	95	PASS	PASS	PASS
72	PASS	PASS	PASS	96	PASS	PASS	PASS
73	PASS	PASS	PASS	97	PASS	PASS	PASS
74	PASS	PASS	PASS	98	PASS	PASS	PASS
75	PASS	PASS	PASS	99	PASS	PASS	PASS
76	PASS	PASS	PASS	100	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No. : HS1203280172B RA No. : 0101175-E

Page 10 of 12

			ALL – V	CC (-)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
1	PASS	PASS	PASS	25	PASS	PASS	PASS
2	PASS	PASS	PASS	26	PASS	PASS	PASS
3	PASS	PASS	PASS	27	PASS	PASS	PASS
4	PASS	PASS	PASS	28	PASS	PASS	PASS
5	PASS	PASS	PASS	29	PASS	PASS	PASS
6	PASS	PASS	PASS	30	PASS	PASS	PASS
7	PASS	PASS	PASS	31	PASS	PASS	PASS
8	PASS	PASS	PASS	32	PASS	PASS	PASS
9	PASS	PASS	PASS	33	PASS	PASS	PASS
10	PASS	PASS	PASS	34	PASS	PASS	PASS
11	PASS	PASS	PASS	35	PASS	PASS	PASS
12	PASS	PASS	PASS	36	PASS	PASS	PASS
13	PASS	PASS	PASS	37	PASS	PASS	PASS
14	PASS	PASS	PASS	38	PASS	PASS	PASS
15	PASS	PASS	PASS	39	PASS	PASS	PASS
16	PASS	PASS	PASS	40	PASS	PASS	PASS
17	PASS	PASS	PASS	41	PASS	PASS	PASS
18	PASS	PASS	PASS	42	PASS	PASS	PASS
19	PASS	PASS	PASS	43	PASS	PASS	PASS
20	PASS	PASS	PASS	44	PASS	PASS	PASS
21	PASS	PASS	PASS	45	PASS	PASS	PASS
22	PASS	PASS	PASS	46	PASS	PASS	PASS
23	PASS	PASS	PASS	47	PASS	PASS	PASS
24	PASS	PASS	PASS	48	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1203280172B RA No.: 0101175-E

Page 11 of 12

			ALL – V	CC (-)			(UNIT:V)
Test FAIL Pin VOLTAGE	#1	#2	#3	Test FAIL Pin VOLTAGE	#1	#2	#3
49	PASS	PASS	PASS	77	PASS	PASS	PASS
50	PASS	PASS	PASS	78	PASS	PASS	PASS
51	PASS	PASS	PASS	79	PASS	PASS	PASS
52	PASS	PASS	PASS	80	PASS	PASS	PASS
53	PASS	PASS	PASS	81	PASS	PASS	PASS
54	PASS	PASS	PASS	82	PASS	PASS	PASS
56	PASS	PASS	PASS	83	PASS	PASS	PASS
57	PASS	PASS	PASS	84	PASS	PASS	PASS
58	PASS	PASS	PASS	85	PASS	PASS	PASS
60	PASS	PASS	PASS	86	PASS	PASS	PASS
61	PASS	PASS	PASS	87	PASS	PASS	PASS
62	PASS	PASS	PASS	88	PASS	PASS	PASS
64	PASS	PASS	PASS	89	PASS	PASS	PASS
66	PASS	PASS	PASS	90	PASS	PASS	PASS
67	PASS	PASS	PASS	91	PASS	PASS	PASS
68	PASS	PASS	PASS	92	PASS	PASS	PASS
69	PASS	PASS	PASS	93	PASS	PASS	PASS
70	PASS	PASS	PASS	94	PASS	PASS	PASS
71	PASS	PASS	PASS	95	PASS	PASS	PASS
72	PASS	PASS	PASS	96	PASS	PASS	PASS
73	PASS	PASS	PASS	97	PASS	PASS	PASS
74	PASS	PASS	PASS	98	PASS	PASS	PASS
75	PASS	PASS	PASS	99	PASS	PASS	PASS
76	PASS	PASS	PASS	100	PASS	PASS	PASS

Integrated Service Technology Inc.

Reliability & Failure Analysis Engineering Group 1F, No.19, Pu-ding Rd., Hsin - chu City, Taiwan, R.O.C.

Tel: 886-3-578-2266, Fax: 886-3-5770988

http://www.istgroup.com

Report No.: HS1203280172B RA No.: 0101175-E Page 12 of 12

	(UNIT: V)			
Test Pin	FAIL VOLTAGE	#1	#2	#3
59		PASS	PASS	PASS
63		PASS	PASS	PASS

	(UNIT: V)		
Test FAIL Pin VOLTAG	E #1	#2	#3
59	PASS	PASS	PASS
63	PASS	PASS	PASS